

CP316

Dealing with Unexpected Situations

Terry Sturtevant

Wilfrid Laurier University

January 30, 2020

Unexpected events

Unexpected events

How should your real time system respond *reasonably* to the following situations?

Unexpected events

How should your real time system respond *reasonably* to the following situations?

- A sensor that *never* responds

Unexpected events

How should your real time system respond *reasonably* to the following situations?

- A sensor that *never* responds
- A sensor that responds *too quickly*

Unexpected events

How should your real time system respond *reasonably* to the following situations?

- A sensor that *never* responds
- A sensor that responds *too quickly*

This could be due to switch or contact bounce, among other things.

Unexpected events

How should your real time system respond *reasonably* to the following situations?

- A sensor that *never* responds
- A sensor that responds *too quickly*

This could be due to switch or contact bounce, among other things.

Timeouts are often used to handle these.

Unexpected values

Unexpected values

How should your real time system respond *reasonably* to the following situations?

Unexpected values

How should your real time system respond *reasonably* to the following situations?

- A value that is much *larger* than expected

Unexpected values

How should your real time system respond *reasonably* to the following situations?

- A value that is much *larger* than expected
This could be in relation to previous values.

Unexpected values

How should your real time system respond *reasonably* to the following situations?

- A value that is much *larger* than expected
This could be in relation to previous values.
- A value that is much *smaller* than expected

Unexpected values

How should your real time system respond *reasonably* to the following situations?

- A value that is much *larger* than expected
This could be in relation to previous values.
- A value that is much *smaller* than expected
This could be in relation to previous values.

Unexpected values

How should your real time system respond *reasonably* to the following situations?

- A value that is much *larger* than expected
This could be in relation to previous values.
- A value that is much *smaller* than expected
This could be in relation to previous values.
- A value that *never* changes

Unexpected values

How should your real time system respond *reasonably* to the following situations?

- A value that is much *larger* than expected
This could be in relation to previous values.
- A value that is much *smaller* than expected
This could be in relation to previous values.
- A value that *never* changes
This could be in relation to previous values.

Unexpected values

How should your real time system respond *reasonably* to the following situations?

- A value that is much *larger* than expected
This could be in relation to previous values.
- A value that is much *smaller* than expected
This could be in relation to previous values.
- A value that *never* changes
This could be in relation to previous values.

Bounds are often specified to handle these.

Noisy values

Noisy values

Unexpected events and values can produce “noise” in your data.

Noisy values

Unexpected events and values can produce “noise” in your data.

- *Resampling* may be an option.

Noisy values

Unexpected events and values can produce “noise” in your data.

- *Resampling* may be an option.
- *Signal averaging* may be an option.

Noisy values

Unexpected events and values can produce “noise” in your data.

- *Resampling* may be an option.
- *Signal averaging* may be an option.
- *Median filtering* may be an option.

Noisy values

Unexpected events and values can produce “noise” in your data.

- *Resampling* may be an option.
- *Signal averaging* may be an option.
- *Median filtering* may be an option.

Is *ignoring them* ever a valid option?

Noisy values

Unexpected events and values can produce “noise” in your data.

- *Resampling* may be an option.
- *Signal averaging* may be an option.
- *Median filtering* may be an option.

Is *ignoring them* ever a valid option?

Limiting the *range of response* may be the way to deal with some things.