CP316 Assembly Language Programming

Terry Sturtevant

Wilfrid Laurier University

November 8, 2017

instruction fields

 \rightarrow Section 2.3

instruction fields

- \rightarrow Section 2.3
- \rightarrow Section 20.0

instruction fields

- \rightarrow Section 2.3
- \rightarrow Section 20.0

language operands

 \rightarrow Section 1.10

instruction fields

- \rightarrow Section 2.3
- \rightarrow Section 20.0

- \rightarrow Section 1.10
- \rightarrow Section 1.8

instruction fields

- \rightarrow Section 2.3
- \rightarrow Section 20.0

- \rightarrow Section 1.10
- \rightarrow Section 1.8
- \rightarrow Section 1.9

instruction fields

- \rightarrow Section 2.3
- \rightarrow Section 20.0

- \rightarrow Section 1.10
- \rightarrow Section 1.8
- \rightarrow Section 1.9
- assembler directives

instruction fields

- \rightarrow Section 2.3
- \rightarrow Section 20.0

- \rightarrow Section 1.10
- \rightarrow Section 1.8
- \rightarrow Section 1.9
- assembler directives
- \rightarrow Section 2.4

instruction fields

- \rightarrow Section 2.3
- \rightarrow Section 20.0

language operands

- \rightarrow Section 1.10
- \rightarrow Section 1.8
- \rightarrow Section 1.9
- assembler directives
- \rightarrow Section 2.4



assembler directives

assembler directives

for the compiler

assembler directives

for the *compiler*do not become lines of code

- assembler directives
 for the compiler
 do not become lines of code
- language instructions

- assembler directives
 for the compiler
 do not become lines of code
- language instructions for the microprocessor

- assembler directives
 for the compiler
 do not become lines of code
- language instructions for the microprocessor become lines of code

sample code

sample code

```
here andwf SSPCON2,W ; stuff addwf TMR0LCOPY,F,A
```

here

here optional label

- here optional label
- andwf

- hereoptional label
- andwfcommand

- hereoptional label
- andwfcommand
- SSPCON2

- here optional label
- andwfcommand
- SSPCON2 file register

- here optional label
- andwfcommand
- SSPCON2 file register
- ,F

- here optional label
- andwf command
- SSPCON2 file register
- ,**F**destination (F or W)

- here optional label
- andwf command
- SSPCON2 file register
- ,F destination (F or W)
- ,A

- here optional label
- andwf command
- SSPCON2 file register
- ,**F**destination (F or W)
- ,A
 access bank; i.e. no BSR

- here optional label
- andwf command
- SSPCON2 file register
- ,**F**destination (F or W)
- ,A access bank; i.e. no BSR
- ;

- here optional label
- andwf command
- SSPCON2 file register
- ,F
 destination (F or W)
- ,A access bank; i.e. no BSR
- ; comment after this

Program Template

Program Template

sample organization

Program Template

sample organization

 $\rightarrow \text{Section } 2.6$

sample organization

- \rightarrow Section 2.6
- \rightarrow Section 1.5.4

sample organization

- \rightarrow Section 2.6
- \rightarrow Section 1.5.4

looping

sample organization

- \rightarrow Section 2.6
- \rightarrow Section 1.5.4

looping

 \rightarrow Section 2.9

sample organization

- \rightarrow Section 2.6
- \rightarrow Section 1.5.4

looping

 \rightarrow Section 2.9

meaning of "end" directive

sample organization

- \rightarrow Section 2.6
- \rightarrow Section 1.5.4

looping

- \rightarrow Section 2.9
- meaning of "end" directive
- \rightarrow Section 2.11 (bad example)

sample organization

- \rightarrow Section 2.6
- \rightarrow Section 1.5.4

looping

- \rightarrow Section 2.9
- meaning of "end" directive
- \rightarrow Section 2.11 (bad example)

addressing modes

addressing modes

 \rightarrow Section 1.9

addressing modes

 \rightarrow Section 1.9

FSRs

addressing modes

 \rightarrow Section 1.9

FSRs

sample instructions

addressing modes

 \rightarrow Section 1.9

FSRs

sample instructions

 \rightarrow Section 1.10

addressing modes

 \rightarrow Section 1.9

FSRs

sample instructions

 \rightarrow Section 1.10

result destination operands

bra vs. goto

bra vs. goto

 $\rightarrow \, Section \,\, 2.9.2$

bra vs. goto

 \rightarrow Section 2.9.2

= current instruction

bra vs. goto

 \rightarrow Section 2.9.2

= current instruction

1 word instructions, except for movff, goto, call, lfsr

bra vs. goto

 \rightarrow Section 2.9.2

\$ = current instruction

1 word instructions, except for **movff**, **goto**, **call**,**lfsr** skip instructions

call vs. rcall

call vs. rcall

 \rightarrow Section 2.9.2

call vs. rcall

 \rightarrow Section 2.9.2

return vs. retlw

call vs. rcall

 \rightarrow Section 2.9.2

return vs. retlw

hardware stack

call vs. rcall

 \rightarrow Section 2.9.2

return vs. retlw

hardware stack

 \rightarrow Section 1.5.4

call vs. rcall

 \rightarrow Section 2.9.2

return vs. retlw

hardware stack

- \rightarrow Section 1.5.4
- \rightarrow Section 4.7

call vs. rcall

 \rightarrow Section 2.9.2

return vs. retlw

hardware stack

- \rightarrow Section 1.5.4
- \rightarrow Section 4.7

subroutines vs. macros

shadow registers

shadow registers

 \rightarrow Section 4.7.1

shadow registers

 \rightarrow Section 4.7.1

fast register stack

shadow registers

 \rightarrow Section 4.7.1

fast register stack

 \rightarrow Section 4.7.5

shadow registers

 \rightarrow Section 4.7.1

fast register stack

 \rightarrow Section 4.7.5

return FAST

shadow registers

 \rightarrow Section 4.7.1

fast register stack

 \rightarrow Section 4.7.5

return FAST

tblrd vs. Ifsr

tblrd vs. Ifsr

 \rightarrow Section 2.10

tblrd vs. Ifsr

ightarrow Section 2.10 tblptr**I**, tblptr**I**, tblptr**I**

tblrd vs. Ifsr

ightarrow Section 2.10 tblptr**I**, tblptr**I**, tblptr**I**

logical instructions

logical instructions

 \rightarrow Section 2.11

```
logical instructions
```

 \rightarrow Section 2.11

rotate instructions; (nc vs. c)

```
\begin{array}{l} \mbox{logical instructions} \\ \rightarrow \mbox{Section 2.11} \\ \mbox{rotate instructions; ( } \mbox{nc vs. } \mbox{c} \mbox{)} \\ \rightarrow \mbox{Section 2.13} \end{array}
```

Timing Loops

Timing Loops

instruction time

Timing Loops

instruction time

 \rightarrow Section 1.7